Subject Index—Volume 34

A

abdomen, CT of
  image mottle in, 282
  in radiotherapy planning, 643
abdominal aorta
  aneurysm of. see aneurysm, abdominal aortic
  spiral CT angiography, contrast media compared (technical report), 374
  time-resolved MRA detection of aneurysm in, 648
acoustic properties, of NC100100, 268
adenocarcinoma, pancreatic, identification of, 71
aging, gastric emptying studies and, 357
aging male spontaneously hypertensive rats, effects of radiocontrast and osmolality on blood pressure and renal damage in, 455
alveolitis, and pulmonary fibrosis differentiation in rabbit, 13
aneurysm
  abdominal aortic
    contrast media comparisons in spiral CT angiography (technical report), 374
    time-resolved MRA detection of, 648
  cerebral, embolotherapy for, 317
angiogenesis
  modeling, 171
  new hemodynamic approach to, 194
angiography
  carbon dioxide, contrast media in, 151
  computed tomography. see computed tomography angiography
  magnetic resonance. see magnetic resonance angiography
  X-ray, contrast media research in, 785
animal models. see also dog; pig; rabbit
  pulmonary metastases, 336
aorta, abdominal. see abdominal aorta
  aneurysm of. see aneurysm, abdominal aortic
arteries
  aberrant gastric, helical CT demonstration of, 579
  embolization. see embolization
  hepatic. see hepatic arteries
  mesenteric, in dog, 629
  renal. see renal artery(ies)
  short-term effects of nitinol stent in dog, 367
  vein graft-coated stents for arteriovenous fistulae, 22
arteriovenous fistulae
  MRA assessment, 218
  vein graft-coated stents for, 22
arthrography, magnetic resonance, in unexercised glenohumeral joint, 435
atherosclerosis, in heart transplant recipients, spiral CT tracking, 485
athletes, muscle fiber distribution in, phosphorus-31 MRS analysis, 348

B

balloon occlusion, neck, in cerebral aneurysm intervention, 317
biologic effects, contrast media during iliofemoral arteriography, 5
biomaterials, current aspects of research into, 323
bleomycin, and alveolitis and fibrosis differentiation in rabbit, 13
blood-brain barrier, EEG evaluation in rat, 262
blood flow
  effect of contrast media on, 5
  effects of contrast media on, in kidney, 1
  influence of instruments on signal and background noise, 781
  myocardial, radiotracer uptake, 91
  segmented/nonsegmented quantitation, 176
blood-pool contrast agents
  peritoneal tolerance in rabbit, 722
  renal perfusion with, 566
blood pressure, effect of radiocontrast and osmolality on, 455
body mass index, and ultrasound bone velocity, 596
bone mass, and ultrasound bone velocity, 596
bone mineral content, and ultrasound bone velocity, 596
bone structure, spongy and cortical, computerized analysis, 572
bone tumor, plain radiographic appearance, 28
brain
  microdialysis in rat, dopamine evaluation by, 543
  MR signal and histopathology after manganese administration in rabbit, 383
brain injury/ischemia
  EEG evaluation in rat, 262
  MRI evaluation in neonatal rat, 249
brain mapping, fMRI cortical intraoperative stimulation in, 225
brain tumors
  discrimination with in vitro 1H MRS, 230
  fMRI cortical intraoperative stimulation in, 225
breast, calcifications in, 394
breast cancer
  color Doppler sonography in, 109
  computer-aided diagnosis, 310
  lesion localization methods, 585

C

CAD. see computer-aided diagnosis
calcifications, computer-aided diagnosis
  in breast, 394
  coronary, 767
carbon dioxide flow dynamics, 151
carcinoma
  breast. see breast cancer
  esophageal, 58
  pancreatic. see pancreatic cancer
  squamous cell metastatic, power Doppler sonography diagnosis, 509
cardiac images
  coronary calcification, 767
  left ventricular
    contours, 211
    global function, 199
  manganese uptake in rat, 470
  morphology, 516
cartilage degradation, NMR visualization, 607
cell proliferation, and neovascularization in gliomas, 427
cerebral blood volume, glioma diagnosis and, 75
cerebral injury/ischemia
  EEG evaluation in rat, 262
  MRI evaluation in neonatal rat, 249
chemotherapy, hepatic arterial infusion injection protocol for CT evaluation during, 744
choline, in brain tumor discrimination, 230
cine MRI, left ventricular contour detection, 211
cirrhosis of the liver, MR imaging
  in experimental model, 360
  in rat model, 551
collagenase, inducing cartilage degradation, NMR microscopy of, 607
color Doppler sonography

in angiogenesis, 194
in breast tumors, 109
ureteric jet index for renal function evaluation, 499
computed tomography
abdominal
image mottle in, 282
in radiotherapy planning, 643
angiography. see computed tomography angiography
axial, versus pancreatic endoluminal ultrasound, 71
contrast media research in, 785
dual-phase hepatic, effective contrast use in, 751
electron beam. see electron-beam computed tomography
in experimental hepatobiliary fascioliasis, 99
in hamate bone fracture evaluation, 46
high-resolution, bone structure analysis, 572
in liver
dual-phase, effective contrast use in, 751
evaluation of liposomal contrast agents in rabbit, 401
hepatic arterial infusion chemotherapy evaluation, 744
lung densitometry with, error source in, 303
simulated pulmonary metastases, 336
spiral. see spiral computed tomography
computed tomography angiography
effective contrast use in, 751
spatial resolution in, 421
spiral, contrast media compared (technical report), 374
computer-aided diagnosis
breast cancer, 394
breast lesions, 585
in electron-beam CT of coronary calcifications, 767
in full digital mammography, 310
contrast agents
in abdominal CT, image mottle in, 282
blood-pool. see blood-pool contrast agents
Gd-DTPA-bis(methoxyethylamide), NMRD profiles, 410
liposomal, evaluation for liver CT in rabbit, 401
manganese absorption and biliary elimination in rats, 615
in melanoma cells and solid tumors, 126
NC100100 acoustic properties, 268
Resovist in rat cirrhotic liver model, 551
visualizing collagenase-induced cartilage degradation, 607
contrast angiography. see magnetic resonance angiography
contrast-enhanced magnetic resonance imaging
alveolitis and pulmonary fibrosis differentiation in rabbit, 13
dynamic, 75
in gliomas, 75, 427
in muscle fiber characterization, 185
in neck 3D angiography, 204
peritoneal tolerance in rabbit, 722
renal vasculature, 731
contrast media
CO_2 angiography, 151
effect on arterial blood flow, 5
effects on renal blood flow, 1
research topics in, 785
in spiral CT angiography of abdominal aorta (technical report), 374
vascular permeability to, 663
coronary calcification, electron-beam computed tomography for quantification of, 767
cortical mapping, fMRI intraoperative stimulation in, 225
cortical shell, computerized analysis of, 572
Cramér-Rao theory, 242
cranial nerve roots, new MRI protocol for, 774
CT. see computed tomography
CTA. see computed tomography angiography
cyst(s)
pancreatic, endoluminal ultrasound versus CT identification, 71
unicameral bone, plain radiographic appearance, 28

D

D-galactose signal enhancement, in breast imaging, 109
diabetes mellitus, resistive index in, 718
dialysis, shunts in experimental thrombectomy for, 489
MRA assessment, 218
digitally reconstructed radiographs, for radiotherapy planning, 643
dobutamine infusion, and radiotracer uptake during increased myocardial blood flow, 91
dog
myocardial ischemia models, 704
nitinol stents, short-term effects of, 367
renal effects of contrast media in, 1
renal vein occlusion in, MR imaging, 523
two-dimensional SPAMM cine-MRI study in, 621
vein graft-coated stents for arteriovenous fistulae, 22
dopamine, in rat brain, evaluation by microdialysis, 543
Doppler sonography
in breast tumors, 109
color. see color Doppler sonography
evaluating contrast media effects on arterial blood flow, 5
power. see power Doppler sonography
pulsed, in angiogenesis, 194
renal arterial guide wire and, 530
dosimetry. see radiation dosimetry
dual-phase computed tomography, hepatic, effective contrast use in, 751
dysprosium-DTPA, starch particles labeled by, relaxivity and, 282

E

EBCT. see electron-beam computed tomography
ejection fraction, in left ventricular contour detection, 211
electroencephalography, in brain ischemia, 262
electron-beam computed tomography
for quantification of coronary calcification, 767
versus spiral CT, dose and image quality compared, 415
embolization
hepatic arterial
effect of hepatic venous occlusion on, 341
microcirculatory changes in rat, 160
superior mesenteric artery branches in dog, 629
therapeutic, for cerebral aneurysm, 317
embryo depth, in first trimester, 449
emphysema, lung densitometry with CT in, 303
endoluminal ultrasound, pancreatic, CT versus, 71
endothelial cells, vascular permeability to contrast media evaluation using, 663
endothelin, effect on blood pressure and renal damage in rat, 455
endovascular Doppler guide wire, in renal arteries, 530
epilepsy
MR diagnosis, modalities compared, 134
and white matter changes in hippocampal sclerosis, 38 esophageal carcinoma, 58

F

fast fluid-attenuated inversion recovery, in mesial temporal sclerosis diagnosis, 134

fast T1 measurements, 3D dose distributions, 236
fibrosis
  hepatic, MRI in experimental model, 360
  pulmonary, in rabbit, 13
fistulae, arteriovenous
  MRA assessment, 218
  vein graft-coated stents for, 22
FLAIR (fast fluid-attenuated inversion recovery), in mesial temporal sclerosis diagnosis, 134
flash sequences, in NMR dosimetry techniques, 236
flow dynamics, carbon dioxide, 151
fMRI (functional MRI), in cortical intraoperative stimulation, 225
fracture, hamate bone, 46
functional MRI, in cortical intraoperative stimulation, 225
fuzzy logic, in left ventricular contour detection, 211

G

gadobenate dimeglumine
  neurotolerability in rat, 543
    in brain ischemia, 262
  in renal failure, safety and pharmacokinetics of, 443
gadobutrol, and GdNCT in melanoma cells and solid tumors, 126
gadolinium
  neutron capture therapy, for melanoma cells and solid tumors, 126
  in pancreatic lesion imaging, 589
gadolinium-DTPA
  in muscle fiber type characterization, 185
  starch particles labeled by, relaxivity and, 287
gadopinium, in 3D angiography of neck, 204
gastric arteries, aberrant, helical CT demonstration of, 579
gastric emptying, ultrasound and radiologic studies, 357
gastrointestinal hemorrhage, localization in rabbit, 722
GdNCT (gadolinium neutron capture therapy), for melanoma cells and solid tumors, 126
glenohumeral joint, unexercised, MR arthrography of, 435
glioma(s)
  discrimination with in vitro 1H MRS, 230
  MRI enhancement and microvascular density in, 427
glycerophosphocholine, characterization with in vitro 1H MRS, 230

H

hamate bone fractures, 46
heart
  coronary calcification, electron-beam CT for quantification of, 767
  left ventricle. see left ventricular images
  in MR imaging
    manganese uptake in rat, 470
    morphology, 516
heart transplantation, spiral CT tracking allograft atherosclerosis in, 485
helical computed tomography. see spiral computed tomography
hemorrhage, gastrointestinal, localization in rabbit, 722
hepatic arterial infusion chemotherapy, injection protocol for CT evaluation during, 744
hepatic arteries
  aberrant, helical CT demonstration of, 579
  microcirculatory changes after embolization in rat, 160
hepatic vein, occlusive effects on hepatic arterial embolization, 341
hepatobiliary fascioliasis, experimental, in rabbit, 99
hernia, inguinal, detection methods compared, 739
hippocampal sclerosis, white matter changes in, 38
hydrodynamic thrombectomy devices, effectiveness of, 477
  enhancement, 536, 669
  mechanical assistance for, 669
hypertension, neurogenic, new MRI protocol in, 774
hyperthermia, in focused ultrasound heating, real-time MRI control of, 190
hypoxia-ischemia
  medullary, radiocontrast nephropathy and, 685
  in neonatal rat brain, MRI evaluation, 249

I

iliofemoral arteriography, effect of contract media on blood flow during, 5
image mottle, in abdominal CT, 282
image processing
  in lung densitometry with CT, 303
  pelvic, selenium-based detector and, 761
image quality
  in abdominal CT, 282
  electron beam versus spiral CT, 415
image segmentation, for tumor volume determination, 143
imaging sequences, MR cardiac morphology, 516
implants, radiopaque polymeric, 323
inguinal hernia, detection methods compared, 739
inserts, radiopaque polymeric, 323
interventional procedures
  CF 105 AngioJet hydrodynamic thrombectomy device, 669
  experimental
    balloon occlusion of neck, cerebral aneurysm and, 317
    hepatic venous occlusion, effects on hepatic arterial embolization in rat, 341
    hydrodynamic. see hydrodynamic thrombectomy devices
    intravascular nitinol stent in dog, 367
    mechanical. see mechanical thrombectomy
    vein-coated stents in arteriovenous fistulae, 22
  Ivalon foam plugs in patent ductus arteriosus, 65
  real-time MRI control of focused ultrasound heating, 190
intestine
  ischemic changes in dog, 629
  transit studies in, ultrasonographic and radiologic, 357
intracavitary coil, for MR imaging in esophageal carcinoma, 58
intracranial tumor, MR imaging of, 75
iodixanol
  blood flow effects, 5
  renal effects, 1
  in spiral CT angiography of abdominal aorta (technical report), 374
iopamidol, blood flow effects, 5
iopromide
  blood flow effects, 5
  pharmacokinetics after lumbar myelography, 692
ioversol, in spiral CT angiography of abdominal aorta (technical report), 374
ioxaglate, blood flow effects, in kidney, 1
Ivalon foam plugs, transvenous patent ductus arteriosus closure with, 65

K

kidney. see also renal entries
  contrast media and, effect on blood flow, 1
  resistive index in diabetic nephropathy, 718
knee, kinematic MR imaging, 558

L

left ventricular images
  contours, 211
  global function, 199
ligament, transverse, effect on meniscal motion, 558
liposomal contrast agents, for liver CT in rabbit, 401
liver. see also hepatic entries
  cirrhosis and fibrosis experimental model, 360
  computed tomography of
    and contrast agents in rabbit, 401
    dual-phase, effective contrast use in, 751
  effect of hepatic venous occlusion on hepatic arterial embolization, 341
  experimental hepatobiliary fascioliasis in rabbit, 99
  tumor volume determination in, 143
localization, breast lesions, 585
logistic regression, neural networks in, 636
long biceps tendon, MR arthrography, 463
lumbar myelography, iopromide pharmacokinetics after, 692
lung
  densitometry with CT, 303
  interstitial disease in rabbit, 13
lymph nodes lesions, differential diagnosis via power Doppler sonography, 509
lymphoma, power Doppler sonography diagnosis, 509

M

magnetic resonance
  nuclear medicine. see nuclear magnetic resonance
  signal and histology in rabbit brain, 383
  tagging in myocardial circumferential shortening, 621
magnetic resonance angiography
  abdominal aortic aneurysms, 648
  carbon dioxide, 151
  contrast media effects during, 5
  failing arteriovenous hemodialysis fistulae, 218
  in global left ventricular cardiac function, 199 neck, 204
  renal perfusion with MS-325, 566
  three-dimensional
    breath-hold, of renal vasculature, 731 neck, 204
magnetic resonance arthrography
  long biceps tendon, 463
  unexercised glenohumeral joint, 435
magnetic resonance imaging, 427
  alveolitis and fibrosis differentiation, 13
  cardiac morphology, 516
  cerebral ischemia changes in rat, 698
  cirrhotic liver model in rat, 551
  contrast-enhanced. see contrast-enhanced magnetic resonance imaging
  3D dose distributions, 236
  esophageal carcinoma, 58
  fast T1 measurements, 3D dose distributions, 236
  functional, in cortical intraoperative stimulation, 225
  Gd-DTPA-enhanced, in muscle fiber characterization, 185
  gliomas, 75
  global left ventricular cardiac function, 199
  hepatobiliary fascioliasis, experimental, 99
  hypoxic-ischemic injury in neonatal rat brain, 249
  inguinal hernia detection, 739
  kinematic, and anatomic section correlation, 558
  left ventricular contour detection, 211
  liver cirrhosis and fibrosis experimental model, 360
  manganese uptake in isolated rat heart, 470
  in mesial temporal sclerosis diagnosis, 134
  in neurogenic compression, new protocol for, 774
  pancreatic lesions, 589
  renal vein occlusion in dogs, 523
  rete testis, 600
  white matter changes in hippocampal sclerosis, 38 magnetic resonance myelography/cisternography, in animal model, 156
magnetic resonance spectroscopy
  in brain tumor discrimination, 230
  data quantitation in, 242
  phosphorus-31
    in muscle fiber distribution, 348
    in quadriceps muscle, 116
  in quadriceps muscle, 116
Magnevist^R, Gd-DTPA-bis(methoxyethylamide) in, 410
mammography
  computer-aided diagnosis and
    full digital, 310
  computer-aided diagnosis in
    calcifications, 394
  X-ray, in fluid bath, experimental study, 678 manganese
  intoxication in rabbit brain, 383
  uptake in isolated rat heart, 470
manganese-DPDP, in MR imaging of pancreatic lesions, 589
mannitol, effect on blood pressure and renal damage in rat, 455
mechanical thrombectomy
  enhancement of effectiveness for, 536
  in hemodialysis access shunts, 489
medical imaging, research in (editorial), 169
medullary hypoxia, radiocontrast nephropathy and, 685
melanoma cells, GdCN therapy and gadobutrol in, 126
meniscus, kinematic MR imaging, 558
mesenteric artery, embolization in dog, 629
mesial temporal sclerosis, MR versus FLAIR diagnosis, 134
metalloporphyrin, absorption and biliary elimination in rats, 615
metastases
  pulmonary, animal model of, 336
  squamous cell carcinoma, power Doppler sonography diagnosis, 509
microcalcifications, in breast, computer-assisted diagnosis, 394
microcirculatory changes, after hepatic artery embolization in rat, 160
microsphere-induced cerebral ischemia, MRI changes in rat, 698
MK-801, evaluation in neonatal rat brain, 249
MRA. see magnetic resonance angiography
MRI. see magnetic resonance imaging
MRS. see magnetic resonance spectroscopy
MS-325, renal perfusion with, 566
multiecho gradient-echo technique, in MR imaging of renal vasculature, 731
muscle fiber
  characterization by Gd-DTPA relaxometry enhancement, 185
  distribution analysis by phosphorus-31 MRS, 348
muscular metabolism, phosphorus-31 MR spectroscopy in quadriceps muscle and, 116
myelography, lumbar, iopromide 240 pharmacokinetics after, 692
myocardial blood flow, increased, radiotracer uptake during, 91
myocardial circumferential shortening, predictive value in, 621
myocardial infarction/ischemia
  canine models, 704
  triphenyl tetrazolium staining in animal models, 276

N

NC100100 contrast agent, acoustic properties, 268
neck
  balloon occlusion in cerebral aneurysm intervention, 317

3D angiography of, 204
neovascularization, and cell proliferation in gliomas, 427
nephropathy, radiocontrast, pathophysiology of, 685
nephrotoxicity, contrast agents, 1
nerve compression syndromes, new MRI protocol in, 774
neural networks, and logistic regression, 636
neuroprotection, neonatal rat brain, 249
neurotolerability, gadobenate dimeglumine in rat, 543
brain ischemia and, 262
neurovascular compression, new MRI protocol in, 774
neutron capture theory, for cancer, 126
NMR. see nuclear magnetic resonance
NMRD profiles
DyDTPA- and GdDTPA-labeled starch particles, 287
Gd-DTPA-bis(methoxyethylamide), 410
nuclear magnetic resonance
dosimetry techniques, 236
microscopy, in collagenase-induced cartilage degradation, 607

O

obesity, and ultrasound bone velocity, 596
observer performance study, in full digital mammography, 310
occlusion
hepatic venous, effects on hepatic arterial embolization in rat, 341
mesenteric artery embolization in dog, 629
in neck, in cerebral aneurysm intervention, 317
renal vein, MR imaging in dog, 523
oleic acid vesicles, and manganese absorption and biliary elimination in rats, 615
OmniscanR, Gd-DTPA-bis(methoxyethylamide) in, 410
OptiMARKR, Gd-DTPA-bis(methoxyethylamide) in, 410
osteoporosis, computerized bone analysis, 572

P

pancreatic cancer
endoluminal ultrasound versus CT evaluation, 71
MR imaging, 589
paramagnetic starch particles, influence on relaxivity, 287
parasitic infection, experimental hepatobiliary fascioliasis in rabbit, 99
parenchymous vascularization model
and perfusion, 171
texture analysis in, 171
patent ductus arteriosus, transvenous closure, 65
pelvis, imaging with selenium-based detector, 761
perfusion
myocardial, triphenyl tetrazolium staining in animal models, 276
parenchymous vascularization model, 171
renal, with MS-325, 566
peritoneal tolerance, of contrast-enhanced magnetic resonance imaging in rabbit, 722
phantoms, in thoracic imaging, 296
pharmacokinetics
of gadobenate dimeglumine in renal failure patients, 443
of iopromide after lumbar myelography, 692
phosphocholine, in brain tumor discrimination, 230
phosphorus-31 magnetic resonance spectroscopy
in muscle fiber distribution, 348
in quadriceps muscle, 116
pig, collagenase-induced cartilage degradation in, 607
polymers, radiopaque, for medical applications, 323
polyvinyl alcohol foam plugs, transvenous patent ductus arteriosus closure with, 65
portal vein, blood flow quantitation, 176
power Doppler sonography
blood flow signal and background noise in, 781
in breast tumors, 109
in lymph nodes lesion differential diagnosis, 509
pregnancy, and embryo depth in first trimester, 449
prostheses. see stents
pulley lesions, long biceps tendon, MR arthrographic findings, 463
pulmonary emphysema, lung densitometry with CT in, 303
pulsatile flow model, CO2 angiography, 151
pulsed Doppler sonography, in angiogenesis, 194

Q

quadriceps muscle, phosphorus-31 MRS of, 116, 348

R

rabbit
alveolitis and fibrosis differentiation in, 13
contrast agent evaluation for liver CT in, 401
experimental hepatobiliary fascioliasis in, 99
MR cisternography in, 156
MR signal and histopathology in brain, 383
peritoneal tolerance of new MR blood pool contrast agents in, 722
radiation dosimetry
in first trimester, 449
and image mottle in abdominal CT, 282
techniques in NMR, 236
radiation exposure
electron-beam versus spiral CT, 415
and embryo depth in first trimester, 449
in spiral computed tomography, 51
in X-ray mammography in a fluid bath, experimental study, 678
radiocontrast media
and osmolality effects on blood pressure and renal damage in, 455
renal failure and, 685
radiocontrast nephropathy, pathophysiology of, 685
radiography, see also X-ray entries
screen-film and selenium system compared, 296
radioisotope diffusion technique, in canine myocardial ischemia, 704
radiology
gastrointestinal transit studies, 357
validation procedures in, 636
radionuclide angiography, in global left ventricular cardiac function, 199
radiopacity, biomaterials research and, 323
radiopaque polymers, for medical applications, 323
radiotherapy planning, digitally reconstructed radiographs for, 643
radiotracer, uptake during myocardial blood flow, 91
rat
aging male spontaneously hypertensive, effects of radiocontrast and osmolality on blood pressure and renal damage in, 455
cirrhotic liver model in, 551
hepatic venous occlusion effects on hepatic arterial embolization in, 341
manganese absorption and biliary elimination in, 615
manganese uptake in isolated rat heart, 470
microcirculatory changes after hepatic artery embolization in, 160
MRI changes in cerebral ischemia, 698
receiver operating characteristic
breast calcifications, 394
breast lesion localization, 585
screen-film and selenium system radiography compared, 296

and validation in diagnostic models, 636
relaxation, diamagnetic enhancement, starch matrix and, 287
relaxivity
Gd-DTPA-bis(methoxyethylamide), NMRD profiles, 410
influence of starch matrix on, 287
relaxometry
cirrhosis and fibrosis MRI experimental model, 360
dynamic spin-lattice MRI, in muscle fiber characterization, 185
renal artery(ies)
endovascular Doppler guide wire in, 530
stenotic, contrast media compared in spiral CT angiography (technical report), 374
renal blood flow, effects of contrast media on, 1
renal damage, effect of radiocontrast and osmolality on, 455
renal failure, gadobenate dimeglumine safety and pharmacokinetics and, 443
renal vein thrombosis, MR imaging in dog, 523
renoureteral function, color Doppler ultrasound evaluating, 499
research, medical imaging (editorial), 169
resistive index
in diabetes mellitus, 718
Resovist, dose-dependency and decay rate, in rat cirrhotic liver model, 551
rete testis, cystic transformation of, 600
ROC. see receiver operating characteristic
rotator cuff tears, MR arthrography of unexercised glenohumeral joint and, 435

S

safety issues, contrast media, 785
gadobenate dimeglumine in renal failure patients, 443
sclerosis
hippocampal, white matter changes in, 38
mesial temporal, MR versus FLAIR diagnosis, 134
screen-film radiography system
for pelvic imaging, 761
and selenium system compared, 296
segmentation, portal vein blood flow quantitation, 176
selenium detector, pelvic imaging with, 761
selenium radiography system, and screen-film system compared, 296
seminiferous tubular ectasia, MRI appearance, 600
shoulder, MR arthrographic findings in, 463
shunts, for hemodialysis access, experimental thrombectomy for, 489
skull neoplasms, diagnostic method validation in, 636
solid tumor, GdNC therapy and gadobutrol in, 126
sonography. see ultrasonography
SPAMM cine-MR imaging, circumferential shortening in jeopardized myocardium by, 621
spatial resolution, in CT angiography, 421
spermatocele, MRI appearance, 600
spiral computed tomography
aberrant hepatic and gastric arteries, 579
electron beam CT versus, dose and image quality compared, 415
hepatic, effective contrast use in, 751
in hepatic tumor volume determination, 143
radiation exposure in, 51
spatial resolution in, 421
tracking allograft atherosclerosis in heart transplant recipients, 485
squamous cell carcinoma metastases, power Doppler sonography diagnosis, 509
starch particles, DyDTPA- and GdDTPA-labeled, 287
stents, canine models
nitinol, short-term effects of, 367
vein graft-coated, for arteriovenous fistulae, 22

T

technetium-99m, in myocardial infarction/ischemia animal models
canine, 704
reliability after triphenyl tetrazolium staining in, 276
tendon, long biceps, MR arthrography, 463
testis, MRI findings in, 600
texture analysis, in parenchymous vascularization model, 181
thallium-201, reliability in myocardial infarction, after triphenyl tetrazolium staining in animal models, 276
thermometry, magnetic resonance, real-time control of focused ultrasound heating based on, 190
Thoravision, pelvic imaging with, 761
thorax, screen-film and selenium radiography system compared, 296
three-dimensional imaging
angiography of neck, 204
MR dose distributions, measurement of, 236
thrombectomy
hydrodynamic. see hydrodynamic thrombectomy
mechanical. see mechanical thrombectomy
thrombosis
interventional procedures in, 477, 536, 669
in hemodialysis access shunts, 489
renal vein, MR imaging in dog, 523
time domain, in MRS data quantitation, 242
time-resolved studies, magnetic resonance angiography, in abdominal aortic aneurysms, 648
transverse ligament, effect on meniscal motion, 558
triangulation methods, breast lesions, 585
tubular ectasia, seminiferous, MRI appearance, 600
tumor volumetry, image segmentation for, 143

U

UJI (ureteric jet index), in color Doppler ultrasound, 499
ultrasonography
bone velocity, weight and, 596
contrast media research in, 785
in experimental hepatobiliary fascioliasis in rabbit, 99
focused, real-time MRI control, 190
gastrointestinal transit studies, 357
inguinal hernia detection, 739
and NC100100 acoustic properties, 268
pancreatic endoluminal, CT versus, 71
renal arteries, Doppler guide wire studies, 530
ultrasound. see ultrasonography
unicameral bone cyst, plain radiographic appearance, 28
ureteric jet index, in color Doppler sonography, 499
urodynamics, color Doppler sonography evaluating, 499

V

vascular studies. see also angiography; computed tomography angiography; magnetic resonance angiography arteriovenous fistulas, 218
3D angiography of neck, 204
global left ventricular cardiac function, 199
parenchymous model, 171
permeability to contrast media, 663
renal, 731
rete testis, 600
texture analysis in, 171, 181
vein grafts, stents coated with, for canine arteriovenous fistulae, 22
venous blood flow, quantitation, 176

W

white matter, changes in hippocampal sclerosis, 38

X

X-ray angiography, contrast media research in, 785
X-ray imaging
  conventional, in hamate bone evaluation, 46
  radiopaque polymeric materials, 323
X-ray mammography, in a fluid bath, experimental study, 678

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 2, 1970: Section 3685, Title 39 United States Code) Date of Filing—October 1, 1999; Title of Publication—*INVESTIGATIVE RADIOLOGY*; Frequency of Issue—Monthly; Annual Subscription Price—$219.00; Location of Known Office of Publication—Lippincott Williams & Wilkins, Inc., 12107 Insurance Way, Suite 114, Hagerstown, MD 21740; Location of Headquarters or General Business Offices of the Publisher—227 East Washington Square, Philadelphia, PA 19106; Publisher—Lippincott Williams & Wilkins, Inc., 227 East Washington Square, Philadelphia, PA 19106; Editor—Val M. Runge, MD, University of Kentucky, O-16C Chandler Medical Center, 800 Rose St., Lexington, KY 40536-0824; Managing Editor—Karen Harmon, Lippincott Williams & Wilkins, Inc., 1803 Research Blvd., Ste 300, Rockville, MD 20850. Owner—Lippincott Williams & Wilkins, Inc., a wholly owned subsidiary of Wolters Kluwer, U.S. Corporation, 227 East Washington Square, Philadelphia, PA 19106; 351 West Camden St., Baltimore, MD 21201; 345 Hudson St., New York, NY 10014; Wolters Kluwer nv, Stadouderskade 1, 1054 FS Amsterdam, The Netherlands. Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities—none. A. Total no. copies printed (*net press run*), average 1398, actual 1300; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscriptions, average 620, actual 584; C. Total paid circulation, average 620, actual 584; D. Free distribution by mail, samples, complimentary, and other free copies, average 131, actual 155; E. Free distribution outside mail (carriers of other means), none; F. Total free distribution (*sum of D and E*), average 131, actual 155. G. Total distribution (*sum of C and F*), average 751, actual 739; H. Copies not distributed. Office use, leftover, unaccounted, spoiled after printing, average 647, actual 561. Returns from news agents, none; I. Total (*sum of G and H—should equal net press run shown in A*), average 1398, actual 1300. Percent paid and/or requested circulation average 83%, actual 79%. I certify that the statements made by me above are correct and complete. Abbe Nelson, *Manager, Periodical Operations*

Author Index—Volume 34

A

Adabra, Y.: *see* Deray, G.
Adamzik, M., Schmermund, A., Reed, J. E., Adamzik, S., Behrenbeck, T., Sheedy, P. F., II: Comparison of two different software systems for electron-beam CT-derived quantification of coronary calcification, 767
Adamzik, S.: *see* Adamzik, M.
Adzamli, K., Periasamy, M. P., Spiller, M., Koenig, S. H.: NMRD assessment of Gd-DTPA-bis(methoxyethylamide), (Gd-DTPA-BMEA), a nonionic MRI agent, 410
Aguado, F.: *see* Rico, H.
Ahn, J. M.: *see* Muhle, C.
Albensi, B. C., Schweizer, M. P., Rarick, T. M., Filloux, F.: Unilateral hypoxic-ischemic injury in the neonatal rat brain evaluated by in vivo MRI: Correlation with histopathology and neuroprotection by MK-801, 249
Allenberg, J.-R.: *see* Schoenberg, S. O.
Allmann, K.-H., Schäfer, O., Hauer, M., Winterer, J., Laubenberger, J., Reichelt, A., Uhl, M.: Indirect MR arthrography of the unexercised glenohumeral joint in patients with rotator cuff tears, 435
Allmann, K.-H.: *see* Kotter, E.
Allmann, K.-H.: *see* Winterer, J. T.
Altehoefer, C.: *see* Kotter, E.
Andresen, R., Haidekker, M. A., Radmer, S., Banzer, D.: Computerized analysis of gray-value profiles in spongy and cortical bone: Clinical experience, 572
Andresen, R., Radmer, S., Sparmann, M., Bogusch, G., Banzer, D.: Imaging of hamate bone fractures in conventional x-rays and high-resolution computed tomography: An in vitro study, 46
Apter, S.: *see* Shemesh, J.
Arana, E., Delicado, P., Martí-Bonmatí, L.: Validation procedures in radiologic diagnostic models: Neural network and logistic regression, 636
Aronen, H. J.: *see* Tynninen, O.
Arslan, A.: *see* Sari, A.
Arteaga, C.: *see* Verhnet, H.

B

Bachmann, R.: *see* Kreft, B.
Bagga, H.: *see* Papachristopoulos, G.
Bagnis, C.: *see* Deray, G.
Bahner, M. L., Debus, J., Zabel, A., Levegrün, S., Van Kaick, G.: Digitally reconstructed radiographs from abdominal CT scans as a new tool for radiotherapy planning, 643
Bahner, M. L.: *see* Mahr, A.
Balzer, P.: *see* Lethimonnier, F.
Bamberger, P.: *see* Leichter, I.
Banzer, D.: *see* Andresen, R.
Barat, J.-L.: *see* Laffon, E.
Bathe, M.: *see* Müller-Hülsbeck, S.
Behrenbeck, T.: *see* Adamzik, M.
Bender, G. N., Case, B., Tsuchida, A., Timmons, J. H., Williard, W., Lyons, M. F., Makuch, R.: Using sector endoluminal ultrasound to identify the normal pancreas when axial computed tomography is falsely positive, 71
Bensel, K.: *see* Swan, S. K.
Berchtenbreiter, C., Bruening, R., Wu, R. H., Penzkofer, H., Weber, J., Reiser, M.: Comparison of the diagnostic information in relative cerebral blood volume, maximum concentration, and subtraction signal intensity maps based on magnetic resonance imaging of gliomas, 75
Berg, K.: *see* Brurok, H.
Berger, F.: *see* Schräder, R.
Berry, I.: *see* Manelfe, C.
Berry, I.: *see* Roux, F. E.
Berry, I.: *see* Sabatier, J.
Bertino, C.: *see* Calmet, C.
Bézy-Wendling, J.: *see* Rolland, Y.
Bick, U.: *see* Richter, K.
Biniakiewicz, D.: *see* McGoron, A. J.
Biniakiewicz, D.: *see* Rosenbaum, A. F.
Bis, K. G.: *see* Papachristopoulos, G.
Block, W.: *see* Kreft, B.
Bogusch, G.: *see* Andresen, R.
Bonnet, J.: *see* Calmet, C.
Borson, O.: *see* Privat, C.
Boulanouar, K.: *see* Roux, F. E.
Bourlet, P.: *see* Privat, C.
Boyer, L.: *see* Privat, C.
Branding, G.: *see* Schmitz, S. A.
Brautigam, M.: *see* Kato, N.
Breil, S.: *see* Sabatier, J.
Brezis, M.: *see* Heyman, S. N.
Brochhagen, H.-G.: *see* Fischbach, R.
Brogna, A., Ferrara, R., Bucceri, A. M., Lanteri, E., Catalano, F.: Influence of aging on gastrointestinal transit time: An ultrasonographic and radiologic study, 357
Bruening, R.: *see* Berchtenbreiter, C.
Bruno, A.: *see* Rolland, Y.
Brunotte, F.: *see* Lalande, A.
Brurok, H., Berg, K., Sneen, L., Grant, D., Karlsson, J. O. G., Jynge, P.: Cardiac metal contents after infusions of manganese: An experimental evaluation in the isolated rat heart, 470
Bucceri, A. M.: *see* Brogna, A.
Buchbinder, S. S.: *see* Leichter, I.
Bui, T.: *see* Liu, T.
Bußmann, W.-D.: *see* Schräder, R.

C

Cagil, H.: *see* Kersjes, W.
Calmet, C., Vincensini, D., Bonnet, J., Bertino, C., Catala, A., Martinez, M., Joffre, F.: MRI dosimetry: A fast quantitative MRI method to determine 3D absorbed dose distributions, 236
Canet, E.: *see* Verhnet, H.
Canioni, P.: *see* Vimeux, F. C.
Cannillo, J.: *see* Prasad, P. V.
Carmody, T. J.: *see* Johnson, M. S.
Case, B.: *see* Bender, G. N.
Catala, A.: *see* Calmet, C.
Catalano, F.: *see* Brogna, A.
Cavassila, S., Deval, S., Huegen, C., Van Ormondt, D., Graveron-Demilly, D.: The beneficial influence of prior knowledge on the quantitation of in vivo magnetic resonance spectroscopy signals, 242
Chang, K.-H.: *see* Kim, S. H.
Chang, Y.-H., Good, W. F., Sumkin, J. H., Zheng, B., Gur, D.: Computerized localization of breast lesions from two views: An experimental comparison of two methods, 585
Charlton, E.: *see* Song, K.
Chavez, D. R.: *see* Prasad, P. V.
Cheong, H. K.: *see* Kim, S. H.
Chi, J. G.: *see* Kim, S. H.
Chirossel, P.: *see* Privat, C.
Chiu, N.-T., Wu, C.-C., Yao, W.-J., Tu, D.-G., Lee, B.-F., Tong, Y.-C., Pan, C.-C.: Evaluation and validation of ureteric jet index by glomerular filtration rate, 499
Cho, D.: *see* Song, K.
Cho, K.: *see* Song, K.
Cho, S. Y.: *see* Han, J. K.
Choi, B. I.: *see* Han, J. K.
Choi, B. I.: *see* Yoon, D. Y.
Chouaib, S.: *see* Lassau, N.
Chung, J. W.: *see* Lee, K. W.
Clarysse, P.: *see* Verhnet, H.
Clopton, P.: *see* Muhle, C.
Coakley, F. V.: *see* Johnson, M. S.
Coatrieux, J. L.: *see* Rolland, Y.
Cohen, M. D.: *see* Johnson, M. S.
Coppenrath, E.: *see* Weisser, G.
Corot, C.: *see* Martin-Chouly, C. A. E.
Cortés, J.: *see* Rico, H.
Cottin, Y.: *see* Lalande, A.
Couzigou, P.: *see* Laffon, E.

D

Damilakis, J.: *see* Perisinakis, K.
Danieli, A.: *see* la Noce, A.
Davies, B. E.: *see* Swan, S. K.
Debatin, J. F.: *see* Hilfiker, P. R.
Debray, M.-P.: *see* Laissy, J.-P.
Debus, J.: *see* Bahner, M. L.
Dedieu, V., Finat-Duclos, F., Renou, J.-P., Joffre, F., Vincensini, D.: In vivo tissue extracellular volume fraction measurement by dynamic spin-lattice MRI relaxometry: Application to the characterization of muscle fiber types, 185
de Kort, G.: *see* Meiners, L. C.
de Kort, G. A. P.: *see* Meiners, L. C.
Delalande, C.: *see* Vimeux, F. C.
de Ledinghen, V.: *see* Laffon, E.
Delépine, S.: *see* Lethimonnier, F.
Delicado, P.: *see* Arana, E.
Delisle, M.-B.: *see* Sabatier, J.
Demicheli, F.: *see* la Noce, A.
Demirci, A.: *see* Sari, A.
Deray, G., Bagnis, C., Jacquiaud, C., Dubois, M., Adabra, Y., Jaudon, C.: Renal effects of low and isosmolar contrast media on renal hemodynamic in a normal and ischemic dog kidney, 1
Desantis, M.: *see* Luboldt, W.
Deval, S.: *see* Cavassila, S.
de Valois, J. C.: *see* Van Den Berg, J. C.
de Zwart, J. A.: *see* Vimeux, F. C.
Diehl, S. J., Lehmann, K. J., Gaa, J., McGill, S., Hoffmann, V., Georgi, M.: MR imaging of pancreatic lesions: Comparison of manganese-DPDP and gadolinium chelate, 589
Dinc, H.: *see* Sari, A.
Distler, A.: *see* Schmitz, S. A.
Doelker, E.: *see* Mottu, F.
Dolan, R. P.: *see* Prasad, P. V.
Dombrowski, F.: *see* Kreft, B.
Dreesen, R. G.: *see* Johnson, M. S.
Drouillard, J.: *see* Laffon, E.
Duarte, C. G., Zhang, J., Ellis, S.: Effects of radiocontrast, mannitol, and endothelin on blood pressure and renal damage in the aging male spontaneously hypertensive rat, 455
Düber, C.: *see* Schunk, K.
Dubois, M.: *see* Deray, G.
Ducassou, D.: *see* Laffon, E.
Duvauferrier, R.: *see* Rolland, Y.
Dyrstadc, K.: *see* Sontum, P. C.

E

Edelman, R. R.: *see* Prasad, P. V.
Einert, A.: *see* Kotter, E.
Einert, A.: *see* Winterer, J. T.
Ellis, S.: *see* Duarte, C. G.
Ende, J. F., Huda, W., Ros, P. R., Litwiller, A. L.: Image mottle in abdominal CT, 282
Ercin, C.: *see* Sari, A.
Ernst, J. M. P. G.: *see* Schräder, R.
Essig, M.: *see* Schoenberg, S. O.

F

Faßbender, D.: *see* Schräder, R.
Fawaz, R.: *see* Vimeux, F. C.
Felix, R.: *see* Hidajat, N.
Felix, R.: *see* Schroeder, R.-J.
Felix, R.: *see* Steinkamp, H.-J.
Ferrara, R.: *see* Brogna, A.
Fields, S.: *see* Leichter, I.
Filatori, I.: *see* la Noce, A.
Filloux, F.: *see* Albensi, B. C.
Finat-Duclos, F.: *see* Dedieu, V.
Fischbach, R., Landwehr, P., Svaland, M., Pape, H.-G., Brochhagen, H.-G., Kampenes, V. B., Heindel, W., Lackner, K.: Spiral CT angiography of the abdominal aorta: Comparison of iodixanol and ioversol, 374
Fischer, C.-O.: *see* Hofmann, B.
Fisman, E. Z.: *see* Shemesh, J.
Fossheim, S. L., Spiller, M., Kellar, K. E.: NMRD investigation of DyDTPA- and GdDTPA-labeled starch particles: Selection of a suitable suspension medium and influence of the starch matrix on relaxivity, 287
Fouillet, X.: *see* Petersein, J.
Franke, B.: *see* Petersein, J.
Friedrich, M.: *see* Meyer, D.-R.
Frigeni, V.: *see* la Noce, A.
Fukuchi, K., Kusuoka, H., Watanabe, Y., Nishimura, T.: Correlation of sequential MR images of microsphere-induced cerebral ischemia with histologic changes in rats, 698
Furber, A.: *see* Lethimonnier, F.

G

Gaa, J.: *see* Diehl, S. J.
Gabel, M.: *see* Lenihan, D. J.
Gabel, M.: *see* McGoron, A. J.
Gabel, M.: *see* Rosenbaum, A. F.
Gauvrit, J. Y.: *see* Leclerc, X.
Georgi, M.: *see* Diehl, S. J.
Georgi, M.: *see* Weisser, G.
Gerber, C.: *see* Weishaupt, D.
Gerson, M. C.: *see* Lenihan, D. J.
Gerson, M. C.: *see* McGoron, A. J.
Gerson, M. C.: *see* Rosenbaum, A. F.
Geslin, P.: *see* Lethimonnier, F.
Ghanem, N.: *see* Kotter, E.
Gilard, V.: *see* Sabatier, J.
Gimpel, S.: *see* Winterer, J. T.
Go, P. M. N. Y. H.: *see* Van Den Berg, J. C.
Gokan, T.: *see* Ohgiya, Y.
Gómez, M.: *see* Rico, H.
Good, W. F.: *see* Chang, Y.-H.
Goto, M.: *see* Sakuma, H.
Gourtsoyiannis, N.: *see* Perisinakis, K.
Grant, D.: *see* Brurok, H.
Graveron-Demilly, D.: *see* Cavassila, S.
Grenier, N.: *see* Vimeux, F. C.
Grimm, J.: *see* Müller-Hülsbeck, S.
Gründer, W.: *see* Wagner, M.
Guinebretiere, J.-M.: *see* Lassau, N.
Gülcan, R.: *see* Schmitz-Rode, T.
Gümele, H. R.: *see* Sari, A.
Günther, R. W.: *see* Schmitz-Rode, T.
Günther, R. W.: *see* Wildberger, J.
Gur, D.: *see* Chang, Y.-H.
Guy, F.: *see* Lalande, A.

H

Hadijuana, J.: *see* Schroeder, R.-J.
Haghighi, P.: *see* Muhle, C.
Haidekker, M. A.: *see* Andresen, R.
Hamm, B.: *see* Petersein, J.
Hamm, B.: *see* Richter, K.
Han, J. K., Jang, H.-J., Choi, B. I., Kim, S. H., Kim, T. K., Won, H. J., Kim, Y.-I., Cho, S. Y.: Experimental hepatobiliary fascioliasis in rabbits: A radiology-pathology correlation, 99
Han, J. K.: *see* Yoon, D. Y.
Han, M. H.: *see* Kim, S. H.
Han, Y.-M., Lee, J.-M., Jin, K.-Y., Lee, S.-Y., Kim, C.-S.: Embolization of superior mesenteric artery branches in dogs: Ischemic bowel changes depend on location of vessel occlusion and embolic materials, 629
Haruno, M.: *see* Morimoto, M.
Har-Zahav, Y.: *see* Shemesh, J.
Hashimoto, S.: *see* Horio, K.
Hauer, M.: *see* Allmann, K.-H.
Hawighorst, H.: *see* Schoenberg, S. O.
Heindel, W.: *see* Fischbach, R.
Heller, M.: *see* Müller-Hülsbeck, S.
Helmberger, T.: *see* Luboldt, W.
Hentsch, A.-M.: *see* Martin-Chouly, C. A. E.
Hernández, E. R.: *see* Rico, H.
Heyman, S. N., Reichman, J., Brezis, M.: Pathophysiology of radiocontrast nephropathy: A role for medullary hypoxia, 685
Hidajat, N., Mäurer, J., Schröder, R.-J., Wolf, M., Vogl, T., Felix, R.: Radiation exposure in spiral computed tomography: Dose distribution and dose reduction, 51
Hidajat, N.: *see* Schroeder, R.-J.
Higgins, C. B.: *see* Sakuma, H.
Hildebrandt, G.: *see* Kersjes, W.
Hilfiker, P. R., Debatin, J. F., Tarlo, K., Schmitz, H. C., Kurrer, M. O.: Assessment of peritoneal tolerance of a new MR blood pool contrast agent in rabbits, 722
Ho, R. J. Y.: *see* Liu, T.
Hodek, E.: *see* Meyer, D.-R.
Hodler, J.: *see* Weishaupt, D.
Hoff, L.: *see* Sontum, P. C.
Hoffmann, V.: *see* Diehl, S. J.
Hofmann, B., Fischer, C.-O., Lawaczeck, R., Platzek, J., Semmler, W.: Gadolinium neutron capture therapy (GdNCT) of melanoma cells and solid tumors with the magnetic resonance imaging contrast agent gadobutrol, 126
Hofstetter, R.: *see* Schräder, R.
Hohenbleicher, H.: *see* Schmitz, S. A.
Horio, K., Kikuchi, Y., Tsuda, T., Hashimoto, S., Shimizu, T., Terae, S., Shirato, H., Miyasaka, K.: Effect of temporary hepatic venous occlusion on hepatic arterial embolization: An experimental study, 341
Hosten, N.: *see* Steinkamp, H.-J.
Huda, W.: *see* Ende, J. F.
Huegen, C.: *see* Cavassila, S.
Hüppe, T.: *see* Meyer, D.-R.
Huth, C.: *see* McGoron, A. J.
Hutzelmann, A.: *see* Müller-Hülsbeck, S.

I

Ihara, S.: *see* Kato, N.
Itzchak, Y.: *see* Shemesh, J.

J

Jääskeläinen, J.: *see* Tynninen, O.
Jacquiaud, C.: *see* Deray, G.
Jallet, P.: *see* Lethimonnier, F.
Jang, H.-J.: *see* Han, J. K.
Jansen, G. H.: *see* Meiners, L. C.
Jaudon, C.: *see* Deray, G.
Jin, K.-Y.: *see* Han, Y.-M.
Jinkins, J. R., Williams, R. F., Xiong, L.: Evaluation of gadopentetate dimeglumine magnetic resonance cisternography in an animal model: Preliminary report, 156
Joffre, F.: *see* Calmet, C.
Joffre, F.: *see* Dedieu, V.
Johnson, M. S., Coakley, F. V., Carmody, T. J., Dreesen, R. G., Cohen, M. D.: Technique for construction of an in vivo model of simulated pulmonary metastases, 336
Juran, R.: *see* Richter, K.
Jynge, P.: *see* Brurok, H.

K

Kaminou, T.: *see* Koda, Y.
Kampenes, V. B.: *see* Fischbach, R.
Kan, Z.: *see* Koda, Y.
Karlsson, J. O. G.: *see* Brurok, H.
Kato, N., Takahashi, M., Tsuji, T., Ihara, S., Brautigam, M., Miyazawa, T.: Dose-dependency and rate of decay of efficacy of resovist on MR images in a rat cirrhotic liver model, 551
Kato, N.: *see* Sakuma, H.
Kellar, K. E.: *see* Fossheim, S. L.
Kennedy, S. C.: *see* McGoron, A. J.
Kenzel, P.: *see* Steinkamp, H.-J.
Kersjes, W., Hildebrandt, G., Cagil, H., Schunk, K., Von Zitzewitz, H., Schild, H.: Differentiation of alveolitis and pulmonary fibrosis in rabbits with magnetic resonance imaging after intrabronchial administration of bleomycin, 13
Kersjes, W.: *see* Schunk, K.
Kikuchi, Y.: *see* Horio, K.
Kilbinger, M.: *see* Schmitz-Rode, T.
Kim, C.-S.: *see* Han, Y.-M.
Kim, J. Y.: *see* Kim, S. H.
Kim, S. H., Chang, K.-H., Chi, J. G., Cheong, H. K., Kim, J. Y., Kim, Y. M., Han, M. H.: Sequential change of MR signal intensity of the brain after manganese administration in rabbits: Correlation with manganese concentration and histopathologic findings, 383
Kim, S. H.: *see* Han, J. K.
Kim, T. K.: *see* Han, J. K.
Kim, T. K.: *see* Yoon, D. Y.
Kim, W. S.: *see* Lee, K. W.
Kim, Y. M.: *see* Kim, S. H.
Kim, Y.-I.: *see* Han, J. K.
Knopp, M. V.: *see* Schoenberg, S. O.
Kobatake, H.: *see* Nawano, S.
Koda, Y., Kan, Z., Wallace, S., Kaminou, T., Nakamura, K., Yamada, R.: Hepatic microcirculatory changes induced by hepatic artery embolization in rats: Original investigation, 160
Koenig, S. H.: *see* Adzamli, K.
Koennecke, H.-C.: *see* Schmitz, S. A.
Koscielny, S.: *see* Lassau, N.

Kotter, E., Einert, A., Merz, C., Allmann, K.-H., Altehoefer, C., Ghanem, N., Langer, M.: Comparison between a screen-film system and a selenium radiography system: An ROC study using simulated thoracic lesions, 296
Kotter, E.: *see* Winterer, J. T.
Krause, W.: *see* Kugoev, A. I.
Kreft, B., Dombrowski, F., Block, W., Bachmann, R., Pfeifer, U., Schild, H.: Evaluation of different models of experimentally induced liver cirrhosis for MRI research with correlation to histopathologic findings, 360
Kreitner, K. F.: *see* Schunk, K.
Kress, J.: *see* Mahr, A.
Kugoev, A. I., Krause, W., Timerbaeva, S. L., Wegener, R.: Pharmacokinetics and tolerability of iopromide 240 after lumbar myelography, 692
Kumar, A.: *see* McGoron, A. J.
Kurrer, M. O.: *see* Hilfiker, P. R.
Kusuoka, H.: *see* Fukuchi, K.

L

Lackner, K.: *see* Fischbach, R.
Laffon, E., Lecesne, R., de Ledinghen, V., Valli, N., Couzigou, P., Laurent, F., Drouillard, J., Ducassou, D., Barat, J.-L.: Segmented 5 versus nonsegmented flow quantitation: Comparison of portal vein flow measurements, 176
LaFrance, N. D.: *see* Swan, S. K.
Laissy, J.-P., Menegazzo, D., Debray, M.-P., Loshkajian, A., Viron, B., Mignon, F., Schouman-Claeys, E.: Failing arteriovenous hemodialysis fistulas: Assessment with magnetic resonance angiography, 218
Lalande, A., Legrand, L., Walker, P. M., Guy, F., Cottin, Y., Roy, S., Brunotte, F.: Automatic detection of left ventricular contours from cardiac cine magnetic resonance imaging using fuzzy logic, 211
Lambrecht, L. J.: *see* Swan, S. K.
Laméris, J. S.: *see* Stoker, J.
Landwehr, P.: *see* Fischbach, R.
Langer, M.: *see* Kotter, E.
Langer, M.: *see* Winterer, J. T.
la Noce, A., Frigeni, V., Demicheli, F., Miragoli, L., Tirone, P.: Neurotolerability of gadobenate dimeglumine in a rat model of focal brain ischemia: EEG evaluation, 262
la Noce, A., Frigeni, V., Filatori, I., Danieli, A., Tirone, P.: Neurotolerability of gadobenate dimeglumine: Evaluation of brain dopamine concentration in freely moving rats by microdialysis, 543
Lanteri, E.: *see* Brogna, A.
Lassau, N., Paturel-Asselin, C., Guinebretiere, J.-M., Leclère, J., Koscielny, S., Roche, A., Chouaib, S., Peronneau, P.: New hemodynamic approach to angiogenesis: Color and pulsed doppler ultrasonography, 194
Laub, G.: *see* Papachristopoulos, G.
Laub, G.: *see* Schoenberg, S. O.
Laubenberger, J.: *see* Allmann, K.-H.
Laubenberger, J.: *see* Winterer, J. T.
Laurent, F.: *see* Laffon, E.
Lawaczeck, R.: *see* Hofmann, B.
Le Bas, J. F.: *see* Manelfe, C.
Lecesne, R.: *see* Laffon, E.
Leclerc, X., Gauvrit, J. Y., Nicol, L., Martinat, P., Pruvo, J. P.: Gadolinium-enhanced fast three-dimensional angiography of the neck: Technical aspect, 204
Leclère, J.: *see* Lassau, N.
Lederman, R.: *see* Leichter, I.
Lee, B.-F.: *see* Chiu, N.-T.
Lee, J. H. E., Reinus, W. R., Wilson, A. J.: Quantitative analysis of the plain radiographic appearance of unicameral bone cysts, 28
Lee, J.-M.: *see* Han, Y.-M.
Lee, K. W., Park, J. H., Chung, J. W., Kim, W. S., Lee, W., Yeon, K. M.: Short-term effects of a new intravascular nitinol stent in canine arteries, 367
Lee, S.-Y.: *see* Han, Y.-M.
Lee, W.: *see* Lee, K. W.
Legrand, A.: *see* Martin-Chouly, C. A. E.
Legrand, L.: *see* Lalande, A.
Lehmann, K. J.: *see* Diehl, S. J.
Lehmann, K.-J.: *see* Weisser, G.
Lehnhardt, S.: *see* Winterer, J. T.
Leichter, I., Lederman, R., Bamberger, P., Novak, B., Fields, S., Buchbinder, S. S.: The use of an interactive software program for quantitative characterization of microcalcifications on digitized film-screen mammograms, 394
Le Jeune, J. J.: *see* Lethimonnier, F.
Lenihan, D. J., McGoron, A. J., Gabel, M., Walsh, R. A., Gerson, M. C.: Reliability of technetium-99m Q12 and thallium-201 myocardial activity measurements after triphenyl tetrazolium chloride myocardial staining by perfusion, 276
Lethimonnier, F., Furber, A., Balzer, P., Morel, O., Rouleau, F., Delépine, S., Pezard, P., Geslin, P., Jallet, P., Le Jeune, J. J.: Global left ventricular cardiac function: Comparison between magnetic resonance imaging, radionuclide angiography, and contrast angiography, 199
Levegrün, S.: *see* Bahner, M. L.
Levegrün, S.: *see* Mahr, A.
Litwiller, A. L.: *see* Ende, J. F.
Liu, T., Bui, T., Schmiedl, U. P., Ho, R. J. Y.: Association with oleic acid vesicles enhances manganese III mesoporphyrin absorption and biliary elimination in rats, 615
Lock, U.: *see* Meyer, D.-R.
Losch, O.: *see* Schunk, K.
Loshkajian, A.: *see* Laissy, J.-P.
Luboldt, W., Straub, J., Seemann, M., Helmberger, T., Reiser, M.: Effective contrast use in CT angiography and dual-phase hepatic CT performed with a subsecond scanner, 751
Luboldt, W., Weber, R., Seemann, M., Desantis, M., Reiser, M.: Influence of helical CT parameters on spatial resolution in CT angiography performed with a subsecond scanner, 421
Lüsse, S.: *see* Müller-Hülsbeck, S.
Lyons, M. F.: *see* Bender, G. N.

M

Maeurer, J.: *see* Schroeder, R.-J.
Mahr, A., Levegrün, S., Bahner, M. L., Kress, J., Zuna, I., Schlegel, W.: Usability of semiautomatic segmentation algorithms for tumor volume determination, 143
Makuch, R.: *see* Bender, G. N.
Malet-Martino, M.: *see* Sabatier, J.
Manelfe, C., Le Bas, J. F., Revel, D., Berry, I.: Research in medical imaging conference, Toulouse, France—Editorial, 169
Manelfe, C.: *see* Roux, F. E.
Manelfe, C.: *see* Sabatier, J.
Martí-Bonmatí, L.: *see* Arana, E.
Martinat, P.: *see* Leclerc, X.
Martin-Chouly, C. A. E., Youmine, H., Saiag, B., Hentsch, A.-M., Corot, C., Legrand, A.: In vitro evaluation of vascular permeability to contrast media using cultured endothelial cell monolayers, 663
Martinez, M.: *see* Calmet, C.
Martini, E.: *see* Richter, K.
Matthies, W.: *see* Schräder, R.
Mäurer, J.: *see* Hidajat, N.
McCloud, S.: *see* Swan, S. K.
McGill, S.: *see* Diehl, S. J.
McGoron, A. J., Biniakiewicz, D., Millard, R. W., Kumar, A., Kennedy, S. C., Roszell, N. J., Gabel, M., Huth, C., Walsh, R. A., Gerson, M. C.: Myocardial kinetics of ^{99m}Technetium-Q agents: Studies in isolated cardiac myocyte, isolated perfused rat heart, and canine regional myocardial ischemia models, 704
McGoron, A. J.: *see* Lenihan, D. J.
McGoron, A. J.: *see* Rosenbaum, A. F.
Meiners, L. C., Van Gils, A., de Kort, G., Van Der Graaf, Y., Jansen, G. H., Van Veelen, C. W. M.: Fast fluid-attenuated inversion recovery (FLAIR) compared with T2-weighted spin-echo in the magnetic resonance diagnosis of mesial temporal sclerosis, 134
Meiners, L. C., Witkamp, T. D., de Kort, G. A. P., Van Huffelen, A. C., Van Der Graaf, Y., Jansen, G. H., Van Der Grond, J., Van Veelen, C. W. M.: Relevance of temporal lobe white matter changes in hippocampal sclerosis: Magnetic resonance imaging and histology, 38
Menegazzo, D.: *see* Laissy, J.-P.
Merz, C.: *see* Kotter, E.
Meyer, D.-R., Hüppe, T., Lock, U., Hodek, E., Friedrich, M.: Pronounced cystic transformation of the rete testis: MRI appearance, 600
Mignon, F.: *see* Laissy, J.-P.
Millard, R. W.: *see* McGoron, A. J.
Millard, R. W.: *see* Rosenbaum, A. F.
Miragoli, L.: *see* la Noce, A.
Miyasaka, K.: *see* Horio, K.
Miyazawa, T.: *see* Kato, N.
Moonen, C. T. W.: *see* Vimeux, F. C.
Morel, O.: *see* Lethimonnier, F.
Morimoto, M., Satake, M., Sekiguchi, R., Haruno, M., Moriyama, N.: Optimal injection protocol for CT evaluation during hepatic arterial infusion chemotherapy, 744
Moriyama, N.: *see* Morimoto, M.
Moriyama, N.: *see* Nawano, S.
Motro, M.: *see* Shemesh, J.
Mottu, F., Rüfenacht, D. A., Doelker, E.: Radiopaque polymeric materials for medical applications: Current aspects of biomaterial research, 323
Mueffelmann, M.: *see* Steinkamp, H.-J.
Muhle, C., Thompson, W. O., Sciulli, R., Pedowitz, R., Ahn, J. M., Yeh, L., Clopton, P., Haghighi, P., Trudell, D. J., Resnick, D.: Transverse ligament and its effect on meniscal motion: Correlation of kinematic MR imaging and anatomic sections, 558
Müller-Hülsbeck, S., Bathe, M., Grimm, J., Heller, M.: Enhancement of in vitro effectiveness for hydrodynamic thrombectomy devices: Simultaneous high-pressure rt-PA application, 536
Müller-Hülsbeck, S., Grimm, J., Suwelack, D., Heller, M.: Mechanical assistance for enhancement of in vitro effectiveness for hydrodynamic thrombectomy, 669
Müller-Hülsbeck, S., Schwarzenberg, H., Bathe,

M., Lüsse, S., Hutzelmann, A., Heller, M.: In vitro effectiveness study for hydrodynamic thrombectomy devices of the second generation, 477
Munechika, H.: *see* Ohgiya, Y.
Murakami, K.: *see* Nawano, S.

N

Nagursky, H.: *see* Schellhammer, F.
Nakamura, K.: *see* Koda, Y.
Nawano, S., Murakami, K., Moriyama, N., Kobatake, H., Takeo, H., Shimura, K.: Computer-aided diagnosis in full digital mammography, 310
Neumann, K.: *see* Winterer, J. T.
Neumann, K.: *see* Winterer, J. T.
Nicol, L.: *see* Leclerc, X.
Nishimura, T.: *see* Fukuchi, K.
Nomura, Y.: *see* Sakuma, H.
Novak, B.: *see* Leichter, I.

O

Offermann, J.: *see* Schmitz, S. A.
Offermann, R.: *see* Schmitz, S. A.
Ohgiya, Y., Gokan, T., Munechika, H.: Demonstration of aberrant hepatic and gastric arteries with helical CT, 579
Østensen, J.: *see* Sontum, P. C.
Ozyavuz, R.: *see* Sari, A.

P

Paavonen, T.: *see* Tynninen, O.
Paetau, A.: *see* Tynninen, O.
Palussiére, J.: *see* Vimeux, F. C.
Pan, C.-C.: *see* Chiu, N.-T.
Papachristopoulos, G., Bis, K. G., Shetty, A. N., Ross, M., Bagga, H., Shirkhoda, A., Laub, G.: Breath-hold 3D MR angiography of the renal vasculature using a contrast-enhanced multiecho gradient-echo technique, 731
Pape, H.-G.: *see* Fischbach, R.
Park, J. H.: *see* Lee, K. W.
Parker, J. R.: *see* Swan, S. K.
Paturel-Asselin, C.: *see* Lassau, N.
Pedowitz, R.: *see* Muhle, C.
Penzkofer, H.: *see* Berchtenbreiter, C.
Perez, N.: *see* Privat, C.
Periasamy, M. P.: *see* Adzamli, K.
Perisinakis, K., Damilakis, J., Vagios, E., Gourtsoyiannis, N.: Embryo depth during the first trimester: Data required for embryo dosimetry, 449
Peronneau, P.: *see* Lassau, N.
Petersein, J., Franke, B., Fouillet, X., Hamm, B.: Evaluation of liposomal contrast agents for liver CT in healthy rabbits, 401
Petersein, J.: *see* Richter, K.
Pezard, P.: *see* Lethimonnier, F.
Pfeifer, U.: *see* Kreft, B.
Pinchasin, E. S.: *see* Prasad, P. V.
Pitton, M.: *see* Schunk, K.
Platzek, J.: *see* Hofmann, B.
Prasad, P. V., Cannillo, J., Chavez, D. R., Pinchasin, E. S., Dolan, R. P., Walovitch, R., Edelman, R. R.: First-pass renal perfusion imaging using MS-325, an albumin-targeted MRI contrast agent, 566
Prince, M. R.: *see* Schoenberg, S. O.
Privat, C., Ravel, A., Chirossel, P., Borson, O., Perez, N., Bourlet, P., Walker, L., Viallet, J. F., Boyer, L.: Endovascular doppler guide wire in renal arteries: Correlation with angiography in 20 patients, 530
Pruvo, J. P.: *see* Leclerc, X.

R

Radmer, S.: *see* Andresen, R.
Ranjeva, J. P.: *see* Roux, F. E.
Ranjeva, J.-P.: *see* Sabatier, J.
Rarick, T. M.: *see* Albensi, B. C.
Ravel, A.: *see* Privat, C.
Reed, J. E.: *see* Adamzik, M.
Reiber, J.: *see* Stoel, B. C.
Reichelt, A.: *see* Allmann, K.-H.
Reichman, J.: *see* Heyman, S. N.
Reifart, N.: *see* Schräder, R.
Reinus, W. R.: *see* Lee, J. H. E.
Reiser, M.: *see* Berchtenbreiter, C.
Reiser, M.: *see* Luboldt, W.
Renou, J.-P.: *see* Dedieu, V.
Resnick, D.: *see* Muhle, C.
Revel, D.: *see* Manelfe, C.
Revel, D.: *see* Verhnet, H.
Richter, K., Bick, U., Juran, R., Petersein, J., Martini, E., Strilek, R., Hamm, B.: Experimental study of x-ray mammography in a fluid bath: Reduced radiation dose and improved detail resolution, 678
Rico, H., Gómez, M., Aguado, F., Villa, L. F., Hernández, E. R., Cortés, J.: Impact of weight in obese subjects on bone speed of sound, 596
Roche, A.: *see* Lassau, N.
Rolland, Y., Bézy-Wendling, J., Duvauferrier, R., Bruno, A.: Modeling of the parenchymous vascularization and perfusion, 171
Rolland, Y., Bézy-Wendling, J., Duvauferrier, R., Coatrieux, J. L.: Slice simulation from a model of the parenchymous vascularization to evaluate texture features: Work in progress, 181
Ros, P. R.: *see* Ende, J. F.
Rosenbaum, A. F., McGoron, A. J., Millard, R. W., Gabel, M., Biniakiewicz, D., Walsh, R. A., Gerson, M. C.: Uptake of seven myocardial tracers during increased myocardial blood flow by dobutamine infusion, 91
Rosenbusch, G.: *see* Van Den Berg, J. C.
Ross, M.: *see* Papachristopoulos, G.
Roszell, N. J.: *see* McGoron, A. J.
Rouleau, F.: *see* Lethimonnier, F.
Roux, F. E., Boulanouar, K., Ranjeva, J. P., Manelfe, C., Tremoulet, M., Sabatier, J., Berry, I.: Cortical intraoperative stimulation in brain tumors as a tool to evaluate spatial data from motor functional MRI, 225
Roux, J. P.: *see* Verhnet, H.
Roy, S.: *see* Lalande, A.
Rüfenacht, D. A.: *see* Mottu, F.
Ruhala, M.: *see* Tynninen, O.
Runge, V. M.: Contrast media research, 785

S

Sabatier, J., Gilard, V., Malet-Martino, M., Ranjeva, J.-P., Terral, C., Breil, S., Delisle, M.-B., Manelfe, C., Tremoulet, M., Berry, I.: Characterization of choline compounds with in vitro ^{1}H magnetic resonance spectroscopy for the discrimination of primary brain tumor, 230
Sabatier, J.: *see* Roux, F. E.
Saiag, B.: *see* Martin-Chouly, C. A. E.
Sakuma, H., Goto, M., Nomura, Y., Kato, N., Takeda, K., Higgins, C. B.: Three-dimensional coronary magnetic resonance angiography with injection of extracellular contrast medium, 503
Salonen, O.: *see* Tynninen, O.
Sari, A., Dinc, H., Zibandeh, A., Telatar, M., Gümele, H. R.: Value of resistive index in patients with clinical diabetic nephropathy, 718
Sari, A., Ozyavuz, R., Demirci, A., Ercin, C., Arslan, A., Yuzuncu, A. K., Gumele, H. R.: MRI imaging of renal vein occlusion in dogs, 523
Satake, M.: *see* Morimoto, M.
Schadmand-Fischer, S.: *see* Schunk, K.
Schadmand-Fischer, S.: *see* Schunk, K.
Schäfer, O.: *see* Allmann, K.-H.
Scheck, R.: *see* Weisser, G.
Schellhammer, F., Wahkloo, A. K., Nagursky, H., Schumacher, M.: Vein graft-coated stents for endovascular occlusion of canine experimental arteriovenous fistulae, 22
Schild, H.: *see* Kersjes, W.
Schild, H.: *see* Kreft, B.
Schlegel, W.: *see* Mahr, A.
Schmermund, A.: *see* Adamzik, M.
Schmiedl, U. P.: *see* Liu, T.
Schmitz, H. C.: *see* Hilfiker, P. R.
Schmitz, S. A., Hohenbleicher, H., Koennecke, H.-C., Offermann, R., Offermann, J., Branding, G., Wolf, K.-J., Distler, A., Sharma, A. M.: A new MRI protocol for the evaluation of neurovascular compression of the cranial nerves IX and X root-entry zone, 774
Schmitz-Rode, T., Gülcan, R., Kilbinger, M., Günther, R. W.: Embolotherapy of aneurysms under temporary balloon occlusion of the neck: In vitro study of a newly designed eccentric balloon catheter, 317
Schmitz-Rode, T.: *see* Wildberger, J.
Schneider, B.: *see* Winterer, J. T.
Schoenberg, S. O., Wunsch, C., Knopp, M. V., Essig, M., Hawighorst, H., Laub, G., Prince, M. R., Allenberg, J.-R., Van Kaick, G.: Abdominal aortic aneurysm: Detection of multilevel vascular pathology by time-resolved multiphase 3D gadolinium MR angiography: Initial report, 648
Schouman-Claeys, E.: *see* Laissy, J.-P.
Schräder, R., Hofstetter, R., Faßbender, D., Berger, F., Bußmann, W.-D., Ernst, J. M. P. G., Matthies, W., Reifart, N., Sievert, H., Soares, J. P.: Transvenous closure of patent ductus arteriosus with ivalon plugs: Multicenter experience with a new technique, 65
Schröder, R.-J.: *see* Hidajat, N.
Schroeder, R.-J., Maeurer, J., Vogl, T. J., Hidajat, N., Hadijuana, J., Venz, S., Weber, S., Felix, R.: D-galactose-based signal-enhanced color doppler sonography of breast tumors and tumorlike lesions, 109
Schumacher, M.: *see* Schellhammer, F.
Schunk, K., Losch, O., Kreitner, K. F., Kersjes, W., Schadmand-Fischer, S., Thelen, M.: Contributions of dynamic phosphorus-31 magnetic resonance spectroscopy to the analysis of muscle fiber distribution, 348
Schunk, K., Pitton, M., Düber, C., Kersjes, W., Schadmand-Fischer, S., Thelen, M.: Dynamic phosphorus-31 magnetic resonance spectroscopy of the quadriceps muscle: Effects of age and sex on spectroscopic results, 116
Schunk, K.: *see* Kersjes, W.
Schwarzenberg, H.: *see* Müller-Hülsbeck, S.
Schweizer, M. P.: *see* Albensi, B. C.
Sciulli, R.: *see* Muhle, C.

Seemann, M.: *see* Luboldt, W.
Sekiguchi, R.: *see* Morimoto, M.
Semmler, W.: *see* Hofmann, B.
Sharma, A. M.: *see* Schmitz, S. A.
Sheedy, P. F., II: *see* Adamzik, M.
Shemesh, J., Tenenbaum, A., Stroh, C. I., Apter, S., Har-Zahav, Y., Fisman, E. Z., Itzchak, Y., Motro, M.: Double-helical CT as a new tool for tracking of allograft atherosclerosis in heart transplant recipients, 485
Shetty, A. N.: *see* Papachristopoulos, G.
Shimizu, T.: *see* Horio, K.
Shimura, K.: *see* Nawano, S.
Shinn, K.: *see* Song, K.
Shirato, H.: *see* Horio, K.
Shirkhoda, A.: *see* Papachristopoulos, G.
Sievert, H.: *see* Schräder, R.
Sneen, L.: *see* Brurok, H.
Soares, J. P.: *see* Schräder, R.
Song, K., Cho, D., Shinn, K., Charlton, E., Cho, K.: Gas dynamics in Co2 angiography: In vitro evaluation in a circulatory system model, 151
Sontum, P. C., østensen, J., Dyrstadc, K., Hoff, L.: Acoustic properties of NC100100 and their relation with the microbubble size distribution, 268
Sottilini, F.: *see* Verhnet, H.
Sparmann, M.: *see* Andresen, R.
Spiller, M.: *see* Adzamli, K.
Spiller, M.: *see* Fossheim, S. L.
Steinkamp, H.-J., Teichgräber, U. K. M., Mueffelmann, M., Hosten, N., Kenzel, P., Felix, R.: Differential diagnosis of lymph node lesions: A semiquantitative approach with power doppler sonography, 509
Stoel, B. C., Vrooman, H. A., Stolk, J., Reiber, J.: Sources of error in lung densitometry with CT, 303
Stoker, J., Van Velthuysen, M.-L. F., Van Overhagen, H., Van Kempen, D., Tilanus, H. W., Laméris, J. S.: Esophageal carcinoma: Ex vivo endoluminal magnetic resonance imaging, 58
Stolk, J.: *see* Stoel, B. C.
Straub, J.: *see* Luboldt, W.
Strilek, R.: *see* Richter, K.
Stroh, C. I.: *see* Shemesh, J.
Sumkin, J. H.: *see* Chang, Y.-H.
Suwelack, D.: *see* Müller-Hülsbeck, S.
Svaland, M.: *see* Fischbach, R.
Swan, S. K., Lambrecht, L. J., Townsend, R., Davies, B. E., McCloud, S., Parker, J. R., Bensel, K., LaFrance, N. D.: Safety and pharmacokinetic profile of gadobenate dimeglumine in subjects with renal impairment, 443

T

Takahashi, M.: *see* Kato, N.
Takeda, K.: *see* Sakuma, H.
Takeo, H.: *see* Nawano, S.
Tanner, A.: *see* Weishaupt, D.
Tarlo, K.: *see* Hilfiker, P. R.
Teichgräber, U. K. M.: *see* Steinkamp, H.-J.
Telatar, M.: *see* Sari, A.
Tenenbaum, A.: *see* Shemesh, J.
Terae, S.: *see* Horio, K.
Terral, C.: *see* Sabatier, J.
Thelen, M.: *see* Schunk, K.
Thompson, W. O.: *see* Muhle, C.
Tilanus, H. W.: *see* Stoker, J.
Timerbaeva, S. L.: *see* Kugoev, A. I.
Timmons, J. H.: *see* Bender, G. N.
Tirone, P.: *see* la Noce, A.
Tong, Y.-C.: *see* Chiu, N.-T.
Townsend, R.: *see* Swan, S. K.
Tremoulet, M.: *see* Roux, F. E.
Tremoulet, M.: *see* Sabatier, J.
Trudell, D. J.: *see* Muhle, C.
Tsuchida, A.: *see* Bender, G. N.
Tsuda, T.: *see* Horio, K.
Tsuji, T.: *see* Kato, N.
Tu, D.-G.: *see* Chiu, N.-T.
Tynninen, O., Aronen, H. J., Ruhala, M., Paetau, A., Von Boguslawski, K., Salonen, O., Jääskeläinen, J., Paavonen, T.: MRI enhancement and microvascular density in gliomas: Correlation with tumor cell proliferation, 427

U

Uhl, M.: *see* Allmann, K.-H.
Uhrmeister, P.: *see* Winterer, J. T.

V

Vagios, E.: *see* Perisinakis, K.
Valli, N.: *see* Laffon, E.
Van Den Berg, J. C., de Valois, J. C., Go, P. M. N. Y. H., Rosenbusch, G.: Detection of groin hernia with physical examination, ultrasound, and MRI compared with laparoscopic findings, 739
Van Der Graaf, Y.: *see* Meiners, L. C.
Van Der Grond, J.: *see* Meiners, L. C.
Van Gils, A.: *see* Meiners, L. C.
Van Huffelen, A. C.: *see* Meiners, L. C.
Van Kaick, G.: *see* Bahner, M. L.
Van Kaick, G.: *see* Schoenberg, S. O.
Van Kempen, D.: *see* Stoker, J.
Van Ormondt, D.: *see* Cavassila, S.
Van Overhagen, H.: *see* Stoker, J.
Van Veelen, C. W. M.: *see* Meiners, L. C.
Van Velthuysen, M.-L. F.: *see* Stoker, J.
Venz, S.: *see* Schroeder, R.-J.
Verhnet, H., Revel, D., Arteaga, C., Clarysse, P., Sottilini, F., Roux, J. P., Canet, E.: Predictive value of regional left ventricular circumferential shortening in jeopardized myocardium: A two-dimensional SPAMM cine-MRI study in a canine model, 621
Viallet, J. F.: *see* Privat, C.
Villa, L. F.: *see* Rico, H.
Vimeux, F. C., de Zwart, J. A., Palussiére, J., Fawaz, R., Delalande, C., Canioni, P., Grenier, N., Moonen, C. T. W.: Real-time control of focused ultrasound heating based on rapid MR thermometry, 190
Vincensini, D.: *see* Calmet, C.
Vincensini, D.: *see* Dedieu, V.
Viron, B.: *see* Laissy, J.-P.
Vogl, T.: *see* Hidajat, N.
Vogl, T. J.: *see* Schroeder, R.-J.
Von Boguslawski, K.: *see* Tynninen, O.
Von Helden, J.: *see* Zwaan, M.
Von Zitzewitz, H.: *see* Kersjes, W.
Vrooman, H. A.: *see* Stoel, B. C.

W

Wagner, M., Werner, A., Gründer, W.: Visualization of collagenase-induced cartilage degradation using NMR microscopy, 607
Wahkloo, A. K.: *see* Schellhammer, F.
Walker, L.: *see* Privat, C.
Walker, P. M.: *see* Lalande, A.
Wallace, S.: *see* Koda, Y.
Walovitch, R.: *see* Prasad, P. V.
Walsh, R. A.: *see* Lenihan, D. J.
Walsh, R. A.: *see* McGoron, A. J.
Walsh, R. A.: *see* Rosenbaum, A. F.
Watanabe, Y.: *see* Fukuchi, K.
Weber, J.: *see* Berchtenbreiter, C.
Weber, R.: *see* Luboldt, W.
Weber, S.: *see* Schroeder, R.-J.
Wegener, R.: *see* Kugoev, A. I.
Wein, B. B.: *see* Wildberger, J.
Weishaupt, D., Zanetti, M., Tanner, A., Gerber, C., Hodler, J.: Lesions of the reflection pulley of the long biceps tendon: MR arthrographic findings, 463
Weiss, H.-D.: *see* Zwaan, M.
Weisser, G., Lehmann, K.-J., Scheck, R., Coppenrath, E., Georgi, M.: Dose and image quality of electron-beam CT compared with spiral CT, 415
Werner, A.: *see* Wagner, M.
Wildberger, J., Schmitz-Rode, T., Wein, B. B., Günther, R. W.: Mechanical thrombectomy in hemodialysis access shunts using a 5F pigtail rotation catheter: In vitro and in vivo investigations, 489
Williams, R. F.: *see* Jinkins, J. R.
Williard, W.: *see* Bender, G. N.
Wilson, A. J.: *see* Lee, J. H. E.
Winterer, J.: *see* Allmann, K.-H.
Winterer, J. T., Kotter, E., Einert, A., Gimpel, S., Neumann, K., Laubenberger, J., Uhrmeister, P., Langer, M.: Pelvic imaging with a selenium-based detector (thoravision), 761
Winterer, J. T., Lehnhardt, S., Schneider, B., Neumann, K., Allmann, K.-H., Laubenberger, J., Langer, M.: MRI of heart morphology: Comparison of nongradient echo sequences with single- and multislice acquisition, 516
Witkamp, T. D.: *see* Meiners, L. C.
Wolf, K.-J.: *see* Schmitz, S. A.
Wolf, M.: *see* Hidajat, N.
Won, H. J.: *see* Han, J. K.
Wu, C.-C.: *see* Chiu, N.-T.
Wu, R. H.: *see* Berchtenbreiter, C.
Wunsch, C : *see* Schoenberg, S. O.

X

Xiong, L.: *see* Jinkins, J. R.

Y

Yamada, R.: *see* Koda, Y.
Yao, W.-J.: *see* Chiu, N.-T.
Yeh, L.: *see* Muhle, C.
Yeon, K. M.: *see* Lee, K. W.
Yeon, K. M.: *see* Yoon, D. Y.
Yoon, D. Y., Choi, B. I., Kim, T. K., Han, J. K., Yeon, K. M.: Influence of instrument settings on flow signal and background noise in power doppler US, 781
Youmine, H.: *see* Martin-Chouly, C. A. E.
Yuzuncu, A. K.: *see* Sari, A.

Z

Zabel, A.: *see* Bahner, M. L.
Zanetti, M.: *see* Weishaupt, D.
Zhang, J.: *see* Duarte, C. G.
Zheng, B.: *see* Chang, Y.-H.
Zibandeh, A.: *see* Sari, A.
Zuna, I.: *see* Mahr, A.
Zwaan, M., Von Helden, J., Weiss, H.-D.: Local effect of three nonionic contrast media on the arterial blood flow velocity during iliofemoral arteriography, 5